

Science Practical Risk Assessment

School of Maths & Science	Practical Activity Title	Period of a Pendulum (MAS_SP_6002_period_of_a_pendulum)				Risk Assessment No. MAS_RA_6002_period_of_a_pendulum_ afan		
Location	AA022							
Assessment Performed By	Jane Morgan		Signature:		Date:	13.07.2007		
Supported By			Signature:		Date:			
Approved By	Brian Harris	(H.o.S.)	Signature:		Date:	13.07.2007		
Date of Re-assessment				·				
(if necessary)	Re-assess if any changes to procedure or equipment / chemicals are made.							

HAZARDS TO BE	WHO MIGHT BE HARMED?	IS THE RISK ADEQUATELY	WHAT FURTHER ACTION IS
CONSIDERED		CONTROLLED?	NECESSARY TO CONTROL THE RISK?
1. Slipping / Tripping	Staff		
2. Fire	Students		
3. Chemicals / drugs			
4. Moving parts of machinery			
5. Pressure systems		Please complete overleaf	Please complete overleaf
6. Electricity			
7. Dust			
8. Fumes			
9. Manual Handling			
10. Noise			
11. Lighting			
12. Computers			
13. Any other hazards			

(Please refer to Risk Assessment Matrix to indicate how Severity and Likelihood combine to produce a Risk score) Likelihood x Severity = Risk Score, = Low, Medium or High risk

Type & Source Of	Nature Of The	Type Of Activity In	Control Measures		Ris	sk	L	Any Further Control
Hazard	Risk	Which Risks May		I	Rating N		M	Measures Required
		Arise		L	S	R	H	
General hazard	Injury due to toppling of retort stand.	Placing pendulum on stand. Oscillating pendulum.	Retort stands must be securely clamped to the bench using a G – clamp.	2	1	2	L	
General hazard	Tripping	Students walking around laboratory	Bags, coats and stools to be placed under benches.	2	2	4	L	

INDICATE WHAT FIRST AID ARRANGEMENTS ARE IN PLACE

A science technician (qualified first aid at work) shall be present during all science practical lessons. First aid kit available in all science prep rooms (Physics AA021, Biology AA023, and Chemistry AA019).

Assessment performed by:		D	Assistant Afan Campus Manager/			
(Please Print Name)	Jane Morgan	Position:	Physics Lecturer			
Date of Assessment :	13th July 2007					
Signed:						

ACTION LIST RECOMMENDATIONS	Risk Rating		Risk L Rating M		TO BE ACTIONED BY	DATE ACTION COMPLETED	SIGNATURE
	L	S	R	H			