

Science Practical Risk Assessment

| School of Maths & Science | Practical Activity Title | D.N.A. F | rom Caviar | Risk Assessment No. MAS_RA_0004_dna_from_caviar | | |
|------------------------------|-----------------------------|------------------|-----------------------|-----------------------------------------------------------|-------|-------------|
| Location | Biology Lab. 1 | NB124 | | | | |
| Assessment Performed By | Phil Jones | | Signature: | | Date: | 09 Jan 2007 |
| Supported By | Gareth John | | Signature: | | Date: | 09 Jan 2007 |
| Approved By | Brian Harris | (H.o.S.) | Signature: | | Date: | 09 Jan 2007 |
| Date of Re-assessment | | | | | | |
| (if necessary) | Re-assess if any chan | ges to procedure | or equipment / chemic | als are made. | | |

| HAZARDS TO BE | WHO MIGHT BE HARMED? | IS THE RISK ADEQUATELY | WHAT FURTHER ACTION IS |
|------------------------------|----------------------|--------------------------|--------------------------------|
| CONSIDERED | | CONTROLLED? | NECESSARY TO CONTROL THE RISK? |
| 1. Slipping / Tripping | Staff | | |
| 2. Fire | Students | | |
| 3. Chemicals / drugs | | | |
| 4. Moving parts of machinery | | | |
| 5. Pressure systems | | Please complete overleaf | Please complete overleaf |
| 6. Electricity | | | |
| 7. Dust | | | |
| 8. Fumes | | | |
| 9. Manual Handling | | | |
| 10. Noise | | | |
| 11. Lighting | | | |
| 12. Computers | | | |
| 13. Any other hazards | | | |

MAS_RA_template Revision level 1 10-Jan-07

(Please refer to Risk Assessment Matrix to indicate how Severity and Likelihood combine to produce a Risk score) Likelihood x Severity = Risk Score, = Low, Medium or High risk

| Type & Source Of Hazard | Nature Of The Risk | he Type Of Activity In Control Measur Which Risks May | | | | Risk Rating | | Any Further Control Measures Required |
|----------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|---|---|----------------|---|------------------------------------------|
| | | Arise | | L | S | R | Η | |
| Bags & coats | Trip Hazard | Any activity which involves movement around the laboratory | Place all bags & coats etc in lockers provided | 1 | 1 | 1 | L | |
| Detergents | Allergenic reactions | Used to break down membranes when extracting DNA | Use only dilute solutions of detergent type sodium lauryl sulphate (as used in domestic detergent). Only small quantities used | 1 | 1 | 1 | L | |
| DNA's | Infection from certain types of viral DNA or from contaminants | Making up & handling DNA solutions and detergents | Avoid potentially hazardous sources of DNA (e.g. viral DNA) use types used in the kits designed for schools | 1 | 2 | 2 | L | |
| Enzymes | Allergenic reactions | Proteases used when extracting DNA | Only very small quantities of enzymes are used, spills of proteases should be rinsed with water and wiped up promptly | 2 | 1 | 2 | L | |
| Ethanol (I.M.S.) | Toxicity | Precipitating DNA extracts | Only very small quantities used. Keep off skin and avoid inhalation. Use suitable gloves and ensure laboratory is well ventilated. | 1 | 1 | 1 | L | |

| INDICATE WHAT FIRST AID ARRANGEMENTS ARE IN PLACE |
|---------------------------------------------------|
|---------------------------------------------------|

A science technician (qualified first aid at work) shall be present during all science practical lessons. First aid kit available in all science prep rooms (Physics NB232, Chemistry NB237B & Biology NB124A).

| Assessment performed by : (Please Print Name) | Phil Jones | Position : | Biology / Human Biology Lecturer |
|--------------------------------------------------|-------------|------------|----------------------------------|
| Date of Assessment : | 09-Jan-2007 | | |
| Signed : | | | |

| MAS | _RA_templ | ate |
|-------|-------------|-----------|
| Revis | ion level 1 | 10-Jan-07 |

| ACTION LIST RECOMMENDATIONS | | RiskLTO BEDATE ACTIONRatingMACTIONED BYCOMPLETED | | SIGNATURE | | |
|--------------------------------|---|--------------------------------------------------|---|-----------|--|--|
| | L | S | R | H | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

MAS_RA_template Revision level 1 10-Jan-07