

Science Practical Risk Assessment

School of Maths & Science	Practical Activity Title	Food Tests (MAS_SP_0005_food_tests)				Risk Assessment No. MAS_RA_0005_food_tests		
Location	Biology Lab. I	NB124						
Assessment Performed By	Dr. Diana Wa	ssell	Signature:		Date:	08 Jan 2008		
Supported By	Gareth John		Signature:		Date:	08 Jan 2008		
Approved By	Brian Harris	(H.o.S.)	Signature:		Date:	08 Jan 2008		
Date of Re-assessment								
(if necessary)	Re-assess if any changes to procedure or equipment / chemicals are made.							

HAZARDS TO BE	WHO MIGHT BE HARMED?	IS THE RISK ADEQUATELY	WHAT FURTHER ACTION IS
CONSIDERED		CONTROLLED?	NECESSARY TO CONTROL THE RISK?
1. Slipping / Tripping	Staff		
2. Fire	Students		
3. Chemicals / drugs			
4. Moving parts of machinery			
5. Pressure systems		Please complete overleaf	Please complete overleaf
6. Electricity			
7. Dust			
8. Fumes			
9. Manual Handling			
10. Noise			
11. Lighting			
12. Computers			
13. Any other hazards			

(Please refer to Risk Assessment Matrix to indicate how Severity and Likelihood combine to produce a Risk score) Likelihood x Severity = Risk Score, = Low, Medium or High risk

Type & Source Of Hazard	· ·		Control Measures		Risk Rating		L M	Any Further Control Measures Required
		Which Risks May Arise		L		R	H	1
Bags & coats	Trip Hazard	Any activity which involves movement around the laboratory	Place all bags & coats etc in lockers provided	1	1	1	L	
Hot Apparatus	Burns	Heating water baths with Bunsen burners.	All long hair should be tied back, use tongs when handling hot test tubes and allow equipment to cool before putting away.	1	2	2	L	
Benedict's solution, 2mol/dm³ HCl sol'n, 0.01mol/dm³ iodine sol'n, NaHCO ₃ powder 0.4mol/dm³ NaOH 0.02mol/dm³ CuSO ₄ sol'n	Splashes to skin and eyes	Adding chemicals to test solutions.	The wearing of safety goggles is mandatory during practical activities in the laboratory. Chemicals used are listed as either low hazard or irritant; any splashes to skin should be washed off immediately.	1	2	2	L	
Ethanol (I.M.S.)	Fire / explosion	Emulsion test	Ensure all Bunsen burners from previous tests are extinguished before proceeding with the emulsion test.	1	3	3	L	
Ethanol (I.M.S.)	Toxicity	Emulsion test	Only very small quantities used. Keep off skin and avoid inhalation. Ensure laboratory is well ventilated, any splashes to skin should be washed off immediately.	1	1	1	L	

INDICATE WHAT FIRST AID ARRANGEMENTS ARE IN PLACE

A science technician (qualified first aid at work) shall be present during all science practical lessons. First aid kit available in all science prep rooms (Physics NB232, Chemistry NB237B & Biology NB124A).

Assessment performed by : (Please Print Name)	Dr. Diana Wassell Position: Biology / Human Biology Lecturer
Date of Assessment :	08 January 2008
Signed:	

ACTION LIST		Dick	•	L	TO BE	DATE ACTION	SIGNATURE
RECOMMENDATIONS	Risk Rating		M	ACTIONED BY	COMPLETED	SIGNATURE	
L S		S	R	H	Memoribal	COM LLTLD	
		D					
		<u> </u>					